

Skin and Laser Center | Est. 1975

Norman Minars, MD • Todd Minars, MD • Ran Huo, MD • Alejandra Vivas, MD • Catherine Harrison Balestra, MD • Traci Long, PA Richard Galitz, MD • Andrea Chen, MD • Lucy Martin, MD • Marianna Helin, ARNP • Pamela Miller, PA • Harold Jaimes, MD Assistant Clinical Professors of Dermatology | "More Lasers Than Most Universities"



Electrodessication of Benign Lesions:

Benign lesions on the neck and face that can be treated using electrodessication include DPN's (dermatosis papulosa nigra), seborrheic keratoses, and other similar lesions.



How Electrodessication Works

Numbing cream:

Apply the prescribed numbing cream to the area an hour prior to treatment. The numbing cream should only be applied to a small area (not much bigger than the size of your palm) For example - you can apply it to most of your face, OR about half of your neck, OR the V-neck area of your chest (but NOT multiple areas at once)

The Procedure:

The size of the area for safely applying numbing cream (above) is also the size of the area that can be treated during one "treatment session" THE COST - for each treatment session is \$250

Multiple treatment sessions should be at least a week apart the provider (usually Pamela Miller, PA-C) will treat each spot in that area using a device called an "electrodessicator" like a laser (but electric instead of light energy), it gently heats each lesion leaving a small crust - the crusts fall off in about a week (so plan accordingly)

After Care:

- Wash area normally (but gently) with soap and water each day while bathing
- Avoid the sun while healing (to prevent hyperpigmentation)
- Apply Aquaphor ointment (or something similar) once a day

See <u>www.minarsdermatology.com</u> for more information







